

ulv FOGGER H05

The H05 is one of the best aerosol ULV foggers currently available, with its water and oil-powered 50Hz engine kicking out 1400w at 220V AC power.

Whether you're a property owner or a commercial premises manager/owner, the ULV Fogger H05 allows you to eliminate all crawling and flying pests with ease and a high degree of efficiency.

The storage tank can easily hold up to 5 liters of pesticide, while the 0-49 l/h flow rate output is one of the best in the ULV fogger industry. Boasting an impressive fogging and disinfection speed of 10-15 km/h, the H05 is a very practical and economical solution to your pest problems. It weighs a mere 5.3 kg with an adjustable solution droplet size of 9-49 microns.

The low weight and compact size makes it highly suitable for private and commercial use, although it is highly recommended that you carefully study and understand the safety and operational instructions beforehand.



Where can I use it?

Use your H05 ULV cold fogger in greenhouses, hospitals, schools, homes, restaurants, holiday sites, food places, dairy farms, poultry yards, depots, barns, etc.

motor	1400 w, 220 V AC, 50 Hz
solution tank capacity	5 litres
solution output flow rate	0-49 l/h
solution droplet size	9-49 micron
empty weight	5.3 kg
dimensions	50 x 17 x 50



ulv FOGGER H20

The H20 is another one of our best-selling electrical ULV foggers, owing to its outstanding quality and adjustable options. The cold fogger's high air compression ratio means that it can produce particles anywhere between 9-49 microns – making it highly effective against mosquitoes and similar small insects.

You can use this insect fogger for a variety of applications – from getting rid of pungent odors to killing pests outdoors and misting plants in your greenhouse. Being a quality fogging device, you won't have to worry about any propane emissions or fogging solution heat-up.

With its 50 x 60 x 50 dimensions and 9.8kg weight, it is relatively easy to carry and use. The H20 electrical ULV fogger boasts a powerful 1400w, 220V AC, 50Hz motor, with a solution output flow rate of 0-49 l/h. The solution tank can also hold an impressive 10-20 litres.



Where can I use it?

With a stable base and generous solution-carrying capacity, the H20 greenhouse fogger is not only well-suited to greenhouses, gardens and the like, but also schools, restaurants, poultry yards, holiday sites and more.

motor	1400 w, 220 V AC, 50 Hz
solution tank capacity	10 - 20 litres
solution output flow rate	0-49 l/h
solution droplet size	9-49 micron
empty weight	9.8 kg
dimensions	50 x 60 x 50



ulv FOGGER TR05

Another highly sought after ULV cold fogger on the market is the ultra-efficient TR05 – perfect for applying disinfectants and repellents as well as mould and mildew control.

The high-volume air that is let out at a low pressure to produce aerosol droplets is very effective for fogging isolated spaces, such as basements and attics, as well as open spaces like school, restaurants, houses, barns, yards and more.

The TR05 disinfectant sprayer is particularly effective when it comes to curbing indoor germs, parasites, pathogens, fungus and infections in public places like restaurants, hotels, greenhouses, public transportation vehicles, etc. With the ability to store any kind of liquid-based insecticide or disinfectant, the 5 litre storage depot ensures that you can get the job done in a near-effortless way. With a 9-49 droplet size that can be adjusted in six stages, your chosen solution can be sprayed homogeneously in the desired environment through aerosol droplets in the 9-49 micron range, in both wet and dry areas. This way, you can effectively fog and disinfect all surfaces as well as the air, thanks to its ability to spray in a 270 degree arc.

- adjustable delaying time
 - adjustable run time
- adjustable flow rate at 6 stage
 - 180° horizontal rotation for homogeneous disinfection
- 2 years extended warranty



Where can I use it?

Your TR05 ULV cold fogger can be used in confined spaces like basements, attics and bathrooms, as well as large and open spaces like public transport vehicles, restaurants, schools, yards, barns, greenhouses, etc.

motor	1400 w, 220 V AC, 50 - 60 Hz
solution tank capacity	5 litres
solution output flow rate	0-49 l/h
droplet size	9-49 micron w/six adjustable levels
sprayer distance	10-12 m
rotation ability	270 degree left, right at constant speed
timer	min 00:01 m, max 99:99 delay time
working time	adjustable working time up to 1 hour
empty weight	6.1 kg
size	52 x 19 x 50



serastar 2

GREENHOUSE

ULV FOGGER

Throughout each cultivation period, controlling pests becomes a key issue.

The traditional sprayer method is not practical as it is not only time-consuming but also detrimental to plant and human health. This is where a high-quality ULV fog machine comes in.

The Serastar-2 greenhouse fogger has proven to be highly useful for 'space fumigating' areas in order to control flying insects like whiteflies, leaf miners, thrips, etc. The crop destroying insects will fly out from their hiding spots, and soon succumb to the lethal airborne droplets.

This innovative ULV fog machine is the perfect way to protect your precious greenhouse with the right fungicides and disinfectants – and it's fully automatic, operated through a remote control and panel-mounted timer. The insecticide can be sprayed up to 80-100 meters, while the droplet size can be adjusted between 8 and 50 microns. The solution storage tank can easily hold up to 50 litres of depot.



Where can I use it?

The Serastar-2 ULV fog machine is ideal for use in greenhouses of all sizes.

power	5.5 KW
voltage	380 V
blowing capacity	80.000 m ³
electrostatic loading system	automatic on remote control
cap lifting	automatic on remote control
cap angle adjustment	manuel 30°
remote control	mod-1 & mod-2 program
stop	automatic after work
depot volume	50 lt
wahing depot volume	5 lt
ulv cap	2 pcs
droplet size	8-50 micron. oto. adjustable
mixer	automatic on remote control
spraying distance	80 - 100 meter
spraying capacity	8.000 - 10.000 m ²
washing system	automatic after work
weight	135 kg



thermal FOGGER HTF•10

Thermal fogging machines introduce a new generation of ultra-fine droplets in the 1-50 micron range, which is made possible through thermopneumatic energy.

Once liquid substances have been vaporized in the unit, they form very fine aerosols which condense the moment they come into contact with the cool ambient air.

The HTF-10 thermal fogger is ideal for pest control where active substances need to be uniformly sprayed in or around inaccessible places, without leaving any undesirable residues. The thermal fogging machine is also great for treating fairly large spaces or areas using the least amount of pesticide – which means significantly less operational work and very little harm to the environment.

Boasting a sleek and lightweight 8.5 kg design and a 28 HP motor that draws its energy from the 2.1 litre fuel tank, this cutting-edge thermal fogger can either be carried over the shoulder or mounted on the back of a pickup truck.

- aluminium body
- extra lightweight
- 5/10 lt optional solution tank
- cut off system for user safety (no flammable)
- 2 years extended warranty



Where can I use it?

HTF-10 thermal fogger is particularly useful in the public health sector, as well as areas that demand plant protection, stock protection, decontamination, deodorization, disinfection as well as camouflage effects in cinemas and theatres, firefighting drills, etc. This thermal fogging machine also has applications in animal protection, plant protection, warehouse protection, greenhouse pest control, food production plants, bathrooms, restaurants, and more.

power	17.5 KW 23.5 HP
fuel tank volume	2.1 lt
average fuel consumption	1 - 1.9 lt/ h
ignition	electronic ignition coil fed by 4 x 1.5V "A" dry batteries
start up system	manual
solution depot capacity	5 or 10 lt (optional)
average solution consumption	5 - 15 lt/ h
automatic cut off system	yes
empty weight	8,5 kg
sizes (cm)	125 x 38 x 33 box size



biospray DISINFECTION MACHINE

The BioXSpray hospital disinfection machine removes nearly 100% of all viruses, yeasts, mould and harmful bacteria from places where there's a high likelihood of germs, viruses and parasitic elements.

It's an innovative solution and a future-proof answer to the ever-prevalent threat of superbugs – something that's absolutely critical in the healthcare industry.

The disinfectant sprayer breaks down water and oxygen in an environmentally friendly way to deal with the full spectrum of germs, bacteria, viruses and fungi inside public health areas. With uniform disinfection of each surface, including electronic ones, your hospitals, ambulances and patient rooms will be left refreshingly clean, with fresh oxygen-rich air that's free of all germs and other infectious particles.

- 360° horizontal rotation for homogeneous disinfection
 - unique design
- adjustable flow rate and particle size
 - 2 years extended warranty



Where can I use it?

The BioXSpray disinfectant fogging machine can be effectively used in: nurseries, aged care centres, hospitals and laboratories, ambulance, schools, poultry farms, cleaning industry, insect control, public transport, public health, veterinary clinics.

- 6.3 kg weight
- 1100 watt 220 V AC 50-60 hz electric motor
- adjustable rotation speed
- assurance of homogeneous fogging distribution through 360° rotation drum
- dry and wet mist projection by Venturi effect up to 15 meters from the appliance
- speed of mist flow rate 80 m/s
- particle size: 7 - 20 micron
- interchangeable cartridge 0.5 - 1 lt
- 0.5-1-2 ml for 1 m3 according to adjustable particle size
- programmable indoor volume between 0-1000 m3
- CE certified

